

OLDHAM COUNTY RESIDENTIAL BUILDING APPLICATIONS

YOU MUST PROVIDE written documentation that you have met **ALL APPLICABLE** requirements or permissions to build. Documentation will not be returned.

PLEASE NOTE: THE FOLLOWING APPROVALS ARE NOT NECESSARY FOR ALL BUILDING PERMITS. PLEASE CHECK WITH STAFF TO VERIFY WHICH APPROVALS APPLY.

NOTE: May be subject to deed restrictions and/or covenants, conditions, and restrictions (CCRs).

Sewer/Septic Approval:	All building permits on lots served by a septic system must obtain approval from the Oldham County Health Dept. Only new buildings on lots served by a Sewer District must obtain approval and
Received by Not Applicable	paid "Sewer Tap" fee. Oldham County Sewer District 502-225-94// City of LaGrange Utilities 502-222-9325 MSD (Crestwood) 502-587-0603 Oldham County Health Department 502-222-3516
Road Encroachment: Received by Not Applicable	Written Approval to add a driveway onto City, County or State Road. Oldham County Encroachment Form is available in our office. City of Pewee Valley 502-550-2581 City of LaGrange 502-222-1433 Kentucky State Road Department 502-222-9009
Flood Plain Construction Permit: Received by Not Applicable	ALL Construction located in 100-year flood plain must have: "Stream Construction Permit" from the Kentucky State Division of Water & Approval of Local Flood Plain Coordinator. Oldham County Flood Plain Coordinator 502-222-1476 Kentucky State Division of Water 502-564-3410
Surveyed Plot Plan: Received by Not Applicable	Surveyed Plot plan must show shape of property and location of proposed building, actual distance to all four (4) property lines, driveway location, any other structures on property and all easements.)
Workers Compensation Affidavit: Received by Not Applicable	Per KRS Chapter 342, We must have a copy of the contractor's Workers Compensation Certificate of Coverage or signed Affidavit of coverage which is available at the desk.
Historic District Approval: Received by Not Applicable	Written Approval and Stamped Plans required in Historic District. Required if you are in the LaGrange Historic District. 502-222-1433
Soil & Erosion Control: Received by Not Applicable	Best Management Practices (BMP's) must be properly installed, operational and maintained throughout construction project until final soil stabilization is complete. SILT FENCE AND CONCRETE WASHOUT AREA MUST BE INSTALLED BEFORE CONSTRUCTION COMMENCES O.C Storm Water & Erosion Control 502-222-1476
Construction Plans: Received by Not Applicable	YOU MUST PROVIDE a complete set of legible building documents for review to assist you in correcting code violations and/or problems before they occur. Documents will not be returned. Please see page 4 for more information.
Plumbing Affidavit: Received by	Plumbing affidavit stating if the building project will or will not include plumbing. This is a requirement of the Oldham County Health Department to ensure proper plumbing permits are acquired.
Not Applicable Energy Efficiency Code Compliance Received by	ee: All projects permitted on or after October 1, 2012, must meet the new code!
Not Applicable	100 West Jefferson Street, Suite 3 ~ LaGrange, Kentucky 40031

Ph: 502-222-3967 Fax: 502-222-3213 <u>www.oldhamcountyky.gov</u> Page 1 of 7



Oldham County Planning and Development Services

Residential Building Permit Application

Applicant/	All the state of the state of		[12] [13] [14] [14] [15] [15] [15] [15] [15] [15] [15] [15	Date Received:			
Applicant/Builder: Name			Property Owner: Name				
							Address
City, STZip			City, ST	Zip			
Phone:			Phone:				
Signature:			Signature:				
Email Address:			Email Address:	bilina life tomin da. A. Segati			
				e wiftein 2			
City ST 7	dress:			military and an area			
City, ST Zip)	7-1-622-3	Lot	Fitting the Residence Control of the			
****Applica	ant/Builder n	ust provide proof of ins	surance or sign affidavit. **	**			
Type of Impr	rovement and u	is e (Check all that apply)	of Charles and an annual body of the control of the	A software a second of the sec			
	Building	Demolition	Shed	Crawl Space			
	dition	Modular	Pool	Basement			
	nodel	Farm Building	Basement Finish	Walk-Out			
	Family	Multi-Family	Deck/Porch	No. of Units			
	nily Duplex	Garage	Other Structure	10 016 016 016 016 016 016 016 016 016 0			
Size of buildi	8		* redament	others various			
	Type (Check (D Harry La St	Coord Front Profile Southern Co. And Edward of Nation 1867				
Constituenon		ncrete Structure	Modular Home	same and house			
		Construction (Wood)	Miscellaneous	10 ST 01 OE			
			11850-511 (505.34 (10.00) (300.00) (10				
Manufactured			Steel Frame Construction				
• Wil	Mobile Hom ght-of-way enc	e roachment permit required be served by an on-site sew	d? Y / N If yes, check one: Cou	nty, State, or City reptic tank? Y /N			
 Will If you Dist Is proposed Soil through 	Mobile Home ght-of-way ence I this building less, certificate of the control of t	eroachment permit required be served by an on-site sew f approval from the Health ached. in a Historical District? Y est Management Practices action project until final sta	d? Y / N If yes, check one: Couvage disposal system such as a san Department must be attached. If yes, written approval & (BMP's) must be properly instabilization is complete.	nty, State, or City septic tank? Y /N If not, a certificate from the Sewer stamped plans from them must be			
 Will If you Dist Is printed substitution Soil through 	Mobile Home ght-of-way ence I this building less, certificate of the control of t	eroachment permit required be served by an on-site sew f approval from the Health ached. in a Historical District? Y est Management Practices action project until final sta	d? Y / N If yes, check one: Couvage disposal system such as a subepartment must be attached. If yes, written approval & (BMP's) must be properly instal	nty, State, or City septic tank? Y /N If not, a certificate from the Sewer stamped plans from them must be			
Will If ye Dist Is pp subn Soil thro AR Actual dista (Do not mea Front Yard _ Left Side Y Right Yard Rear Yard _ Corner Lot Y Number of B Number o	Mobile Hom ght-of-way ence I this building bees, certificate of crict must be attroperty located mitted. I & Erosion: Boughout construe EA MUST BE nees of proposisure setbacks ard	roachment permit required be served by an on-site sew of approval from the Health ached. in a Historical District? Yest Management Practices action project until final state INSTALLED. (Noted building to property) from edge of pavement) (Surveyed of propodriveway Square of First Floton Second In Garage Basement)	d? Y / N If yes, check one: Couvage disposal system such as a san Department must be attached. If / N If yes, written approval & (BMP's) must be properly instabilization is complete. SILT FE Must be initialed by applicant.) Innes: Indeed Plot] plan must show shape of sed building, actual distance to y location, any other structures of	nty, State, or City septic tank? Y /N If not, a certificate from the Sewer stamped plans from them must be alled, operational and maintained ENCE AND CONCRETE WASHOUT of property and location all four (4) property lines, on property and all easements.)			
Will If you Dist Is possible Soil throe ARI Actual dista (Do not mean Front Yard Left Side Yard Rear Yard Corner Lot Yard Number of Bumber of Construction Parcel No.	Mobile Hom ght-of-way ence I this building I this building I this building I this beat to perfect must be attroperty located mitted. & Erosion: Boughout construction of the proposition of the propositi	roachment permit required be served by an on-site sew of approval from the Health ached. in a Historical District? Yest Management Practices action project until final state in the interest of property of prop	d? Y / N If yes, check one: Couvage disposal system such as a san Department must be attached. If / N If yes, written approval & (BMP's) must be properly instabilization is complete. SILT FEMust be initialed by applicant.) Lines: Led Plot] plan must show shape of sed building, actual distance to y location, any other structures of feet: Let plan must show shape of sed building.	nty, State, or City septic tank? Y /N If not, a certificate from the Sewer stamped plans from them must be alled, operational and maintained ENCE AND CONCRETE WASHOUT of property and location all four (4) property lines, on property and all easements.)			
Will If you Dist Is possible Soil throe ARI Actual dista (Do not mean Front Yard Left Side Yard Rear Yard Corner Lot Yard Number of Bumber of Construction Parcel No.	Mobile Hom ght-of-way ence I this building I this building I this building I this beat to perfect must be attroperty located mitted. & Erosion: Boughout construction of the proposition of the propositi	roachment permit required be served by an on-site sew of approval from the Health ached. in a Historical District? Yest Management Practices action project until final state in the interest of property of prop	d? Y / N If yes, check one: Couvage disposal system such as a san Department must be attached. If / N If yes, written approval & (BMP's) must be properly instabilization is complete. SILT FEMust be initialed by applicant.) Lines: Led Plot] plan must show shape of sed building, actual distance to y location, any other structures of feet: Let plan must show shape of sed building.	nty, State, or City septic tank? Y /N If not, a certificate from the Sewer stamped plans from them must be alled, operational and maintained ENCE AND CONCRETE WASHOUT of property and location all four (4) property lines, on property and all easements.)			

100 West Jefferson Street, Suite 3 ~ LaGrange, Kentucky 40031 Ph: 502-222-3967 Fax: 502-222-3213

www.oldhamcountyky.gov

Permi	t Number: Date Issued:
<u>APP</u>	LICANT STATES AND ACKNOWLEDGES THE FOLLOWING:
1.	Additional Permits <u>may</u> be required for State Building Code Enforcement (KBC 104.1), Road Encroachments, Site Disturbance, Storm Water Management, Electric, Plumbing, Sewage Disposal, or HVAC Installations.
2.	This Permit will become null and void if work or construction is not commenced within 6 months, or if work is suspended or abandoned for a period of 6 months any time after work is commenced. A Permit Renewal Fee of \$100.00 will be required if permit is allowed to expire. The Permit Fee is non-refundable after 30 days and the Permit is not transferable to other parties or to other parcels of property.
3.	THE STRUCTURE WILL NOT BE OCCUPIED UNTIL A CERTIFICATE OF OCCUPANCY IS GRANTED. Before occupation of any structure permitted by the Building Official and Office of Building Inspections, there must be issued, on official stationery of the Office, a signed 'Certificate of Occupancy.' Occupation of any structure permitted by the Office without a proper Certificate of Occupancy is a violation of state statute, KRS 198B.990, punishable by a penalty of \$10 to \$100 per day of violation.
4.	THE APPLICANT AGRESS TO COMPLY FULLY WITH ALL PROVISIONS OF APPLICABLE CODES, LAWS, REGULATIONS AND ORDINANCES GOVERNING THIS TYPE OF WORK, WHETHER SPECIFIED HEREIN OR NOT. "The Office of Building Inspections and Building Official have no authority to determine compliance with other regulatory agencies or obligations under private contract. The applicant may not rely on the issuance of any permit from this Office as evidence of the applicant's compliance with any other regulations or permitting requirements from any other regulating or private entity. Oversight or mistake on the part of the Building Official or an agent of the Office during the performance of their duties does not relieve the applicant from adherence to the applicable regulatory standards.
5.	This Office, its Employees and the Building Official have the right to enter into the construction premises at will during reasonable working hours to verify compliance. Applicant states that they are the lawful property owner or have the secured the authorization of said property owner before making this application and does grant this Office and its employees' permission to enter onto the property and premises in conjunction with this application and permit. Access shall be provided to the job at all times and the Applicant agrees to provide a safe means of egress in order for this Office to perform its responsibilities. State Statute KRS 198.B140 provides "that no person shall hinder an inspector performing his lawful duties under KRS 198.
6.	The Building Permit Fee entitles you to Three (3) Inspections. Failure to have the work completed in a satisfactory manner consistent with code requirements and according to the attached page titled APPLICABLE CODES AND REQUIRED INSPECTIONS will result in additional inspections. Re-inspection Fees of \$50.00 per inspection shall be billed to the Applicant. No Certificate of Occupancy will be granted until all fees associated with this permit (including Electrical or Building Re-Inspection Fees due to Oldham County) are paid in full.
7.	The Applicant agrees that the information contained on this application and the drawings and specifications submitted are accurate, complete, and correct. Further, the intent and purpose of said project have been accurately represented. The Applicant further agrees that any error, omission, misrepresentation of fact whether intentional or not on their part, would cause refusal of application or revocation of permit. Any alteration or change in plans made without the approval of the Building Official subsequent to issuance of building permit shall be cause for the revocation of such permit.
FAILU	JRE TO COMPLETE APPLICATION, TO PROVIDE APPROVALS AND COMPLETE SET OF PLANS WILL RESULT IN APPLICATION BEING RETURNED. PAYMENT IS DUE AT TIME OF APPLICATION
App	licant Signature: X Date:

RESIDENTIAL CONSTRUCTION PLAN REQUIREMENTS:

YOU MUST PROVIDE a complete set of legible building documents for review to assist you in correcting code violations and/or problems before they occur. Documents will not be returned.

You must provide a complete set of building plans (blueprints) which includes the following:

- * front, side and rear elevations
- * foundation plan
- * foundation wall thickness & height (including brick drop) w/ rebar spacing
- * footing thickness & width w/ rebar spacing (include grade beams and piers)
- girder beam/header size & spacing (include engineering on manufactured products)
- * floor joist size and spacing (include engineering on TJI'S or Floor Trusses)
- * floor plan including layout of walls, windows [mark egress size] and doors
- stair details, tread/riser configurations
- ceiling joist size & spacing (vaulted cathedral ceilings must include self-supporting ridge)
- * rafter framing details, size & spacing of rafters, purlins etc.
 - all trusses must have engineering provided (load calculations)
- wall cross section from footings to roof rafters

You must provide an accurate and detailed plot plan which includes the following:

shape of property, existing structures and the location of proposed structure with the distances to all property lines and to existing structures clearly defined

You must provide a Kentucky Architect or Engineer's "Sealed Approval" on the following:

- All Construction Methods not specifically prescribed within the Adopted Code
 - (KRC 301.1.2) including Log Cabins, Steel Framed Structures (Trusses pursuant to KRC 802.10 are Exempt from this Requirement.)
- * Retaining Walls over 4' tall (KRC 404.1.3) or 4" thick brick drops over 2' tall
- * Footings poured on expansive soil or fill (disturbed soil)

IT IS THE <u>APPLICANT'S RESPONSIBILITY</u> for COMPLIANCE with:
<u>ALL PLANNING & ZONING, FEDERAL, STATE, COUNTY, and/or CITY ORDINANCES/STATUTES and ALL APPLICABLE BUILDING CODES (including REFERENCED STANDARDS.)</u>

LICENSED CONTRACTOR REQUIREMENTS:

PLEASE LIST THE Licensed Sub-Contractors who will be performing work (if applicable).

	Company Name	Certification Number (Required)
Electrical Contractor	861	*
Mechanical		
Contractor		
Plumbing Contractor	55	

APPLICABLE CODES AND REQUIRED INSPECTIONS

APPLICABLE CODES:

2018 KENTUCKY RESIDENTIAL CODE

DESIGN CRITERIA:

15 lb. Ground Snow Load

24" min. Footing Depth (frost line)

4550 Heating Degree Days/1301 Cooling Degree Days (65-degree base)

Seismic Zone B

REQUIRED BUILDING INSPECTIONS:

FOOTINGS INSPECTION: (CALL 24 hrs in <u>advance</u> to schedule approximate inspection time)
Inspection is performed after footer is dug or formed, the steel rebar in place and the thickness clearly defined. Inspection is ALWAYS prior to placing concrete. DO NOT cover any portion of footing bottom with gravel without PRIOR approval. A grounding electrode (20' long rebar rod encased in concrete) should be protruding from footing for electrician to connect the grounding conductor. All footings must rest on undisturbed soil of sufficient bearing capacity to meet loads imposed upon it and shall exceed the minimum bearing requirements and the footing sizes spelled out in the Kentucky Building Code. Geo-Technical Soil Condition Reports and/or "As Built" Engineered Reports may be required. Footings poured without inspection or those located on engineered, disturbed or expansive soils shall require an engineer's sealed letter stating that footings have been designed and built according to accepted engineering practices, are in substantial compliance with the KBC and will withstand loads imposed by permitted structure.

FRAMING AND ROUGH IN INSPECTION: (Applicant is responsible to call for Rough In Inspection)
BEFORE DRYWALL OR INSULATION IS HUNG! Inspection is performed after all framing is completed, all fire blocking is in place, all concealed mechanicals, gas lines, vents and ventilation rough in work is completed. This Inspection is to verify, to the best of the field inspector's ability, that the permitted structure is in substantial compliance with the structural and mechanical requirements covered under applicable codes and in substantial compliance with manufacturer's listing and installation instructions. All listed products shall be labeled and any installation instructions and/or design engineering shall be on site to verify that all listed components and engineered framing components including Tji's, Lvl's or Glu Lam Beams, have been installed as per design.

Two rough in stickers are required in order to cover with insulation or otherwise conceal. Typically, stickers are placed inside the nearest junction box to front door. If corrections are required, written details will be left at front junction box. On some projects phased approvals may be required, contact the inspector for more details.

- 1) Rough Electrical inspection which is called in by the Electrician and inspected by Electrical Inspector
- Rough Structural/Mechanical inspection which is called in by the General Contractor/Builder and inspected by the Building Inspector (covering building and mechanical codes).

FINAL BUILDING INSPECTION: (Applicant is responsible to call for Final Building Inspection)
AFTER ALL ENCROACHMENT, DRAINAGE, PLUMBING AND ELECTRICAL INSPECTIONS HAVE BEEN APPROVED.
Inspection is performed at the completion of the project to verify that substantial compliance with the applicable codes and ordinances has been achieved. All fire protection systems shall be operable (NFPA 72/NFPA 13); means of egress completed including: accessible entrances, exit signage and emergency lighting, handrails and guardrail; street address posted; final approval of Local Fire Marshal; grading to direct water to the approved drainage plan; energy conservation requirements met; and all HVAC systems operational. An approval sticker will be applied on the electrical panel, however, you must call the office to request the release of the Certificate of Occupancy granting permission to occupy. PURSUANT TO KRS 198 and O.C. ORDINANCE 91-300.351.3, A CERTIFICATE OF OCCUPANCY IS REQUIRED!

RE-INSPECTION FEES IN THE AMOUNT OF \$50.00 PER TRIP WILL BE CHARGED TO THE APPLICANT FOR INSPECTIONS THAT DO NOT MEET CODE!

REQUIRED ELECTRICAL INSPECTIONS:

<u>TEMPORARY POLE PERMIT:</u> Builder must apply for Service with Utility Company and the correct street address must be provided so we can fax a Cut-In Request to the Utility Company. Pole must be secure in ground. Not all construction will require a TP permit/inspection. Some contractors may use existing TP or a generator.

ROUGH ELECTRIC IN INSPECTION: (Electrician is responsible to call for Rough-In Inspection)
BEFORE DRYWALL OR INSULATION IS HUNG! Inspection is performed after all rough wiring is pulled, boxes installed, and joints completed. All Listed products shall be Labeled.

Two rough in stickers are required in order to cover with insulation or otherwise conceal. Typically, stickers are placed inside the nearest junction box to front door (or basement stairs if basement finish) If corrections are required, written details will be left at front junction box.

- Rough Electrical inspection which is called in by the Electrician and inspected by Electrical Inspector
- Rough Structural/Mechanical inspection which is called in by the General Contractor/Builder and inspected by the Building Inspector (covering building and mechanical codes).

<u>TEMPORARY ON THE MAIN:</u> (Electrician is responsible to call for Temp on Main Inspection)

This is the inspection performed to authorize the Utility Company to connect the meter for electric service. If corrections are required, they will be left on panel box. This inspection may be performed at same time as rough if work is ready.

A sticker will be left on electric panel authorizing connection. FINAL INSPECTION REQUIRED BEFORE OCCUPANCY.

FINAL ELECTRICAL INSPECTION: (Electrician is responsible to call for Final Electrical Inspection) Inspection is performed at the completion of the project to verify that substantial compliance with the electric code has been achieved. All disconnects, lights, switches, outlets, fixtures, switch/outlet covers, breakers, arc faults and ground faults operational and installed to code. An approval sticker from Electrical Inspector left on the electrical panel tells you that final electrical inspection has passed or notice of corrections left to comply.

RE-INSPECTION FEES IN THE AMOUNT OF \$50.00 PER TRIP WILL BE CHARGED TO THE APPLICANT FOR INSPECTIONS THAT DO NOT MEET CODE!

BE ADVISED!

Best Management Practices must be properly installed and operational prior to any earthwork [i.e. driveways, basements, footers, etc.] and maintained throughout the construction project until final stabilization is complete.

- -An Erosion Control Inspection will take place prior to any and all Required Building Inspections.
- -A failed Erosion Control Inspection will result in a failed Building Inspection.
- -A failed Building Inspection will require a scheduled reinspection and fee.
- -All erosion control issues must be addressed and completed prior to scheduling a re-inspection.

Failure to Comply may result in further enforcement actions that may include Citations, Stop Work Orders and Fines of \$75.00 to \$150.00 for each day that the property is found to be in violation.

Oldham County is an MS4, Phase II community and mandated by the Environmental Protection Agency as part of the Federal Water Pollution Act (33 USC Sec 1251 et.seq.). This program is overseen by both the Kentucky Division of Water and the EPA. In order for Oldham County to comply with this mandate, strict enforcement of the Construction Site Runoff ordinance is required.

AFFIDAVIT PURSUANT TO KRS 198b.060(10)

Comes the applicant,	and states,
pursuant to KRS 198b.060(10), that all contractors and subco	ontractors employed
or that will be employed on an activity covered by any permit	issued to this
applicant by the Oldham County Planning and Development	Services office, shall
be in compliance with the Commonwealth of Kentucky requir	ements for Worker's
Compensation Insurance (according to KRS Chapter 342) ar	nd Unemployment
Insurance (according to KRS Chapter 341).	
Signed this day of	
	2
Applicant	
Applicant	
SUBSCRIBED AND SWORN to me by	
applicant, on thisday of	
•	
Notary Public, State of Kentucky	
My Commission expires	

DAVID VOEGELE

JUDGE-EXECUTIVE DVOEGELE/a.OLDHAMCOUNTYKY.GOV

JOHN BLACK DEPUTY JUDGE-EXECUTIVE JBLACK@OLDHAMCOUNTYKY.GOV

TINA SCHAAF EXECUTIVE ASSISTANT ISCHAAF & OLDHAMCOUNTYKY.GOV



BUILDING & INSPECTIONS

MARK THEISS MIHEISS/Q OLDHAMCOLNTYXY, GOV 502-222-3967 JERRY DUNAWAY JDUNAWAY/Q OLDHAMCOUNTYKY, GOV

OLDHAM COUNTY FISCAL COURT

100 West Jefferson Street, Suite 4, La Grange, Kentucky 40031 Office 502-222-9357 • FAX 502-222-3210 www.OldhamCountyky.gov

Plumbing Affidavit

I,	(owner/applicant)		as o	wner	/applicant of the pro	perty located at
	(owner/applicant)				13	
			, do he	reby	verify that the buildi	ng project described below:
***************************************	(property address)		•	,	,	6 F
Type of Impro	ovement and use (Check all t	hat apply)				
	Garage	Base	ment Finish		Pool	
	Addition		/lodular		Other Structure	
	Remodel		n Building			
	Single Family		lti-Family			
	Two-Family Duplex		Shed			
I understand provided that Department	n that this property is serve that completing this docu t a plumbing permit is obt is contacted for the evalua	ment does rained from	not prohibit the the State Plum site septic syste	abil bing	ity to install plumbing Inspection, and the esues (if applicable).	g at a later date,
Signed this _					_ 20	
	Owner/Applicant			Install	 ation of a full bath creates th	e conditions for potential dwelling space.
SUBSCRIBI	ED AND SWORN to me					, applicant/owner
on this	day of		20			
Notary Publi	ic, State of Kentucky		-		Commission I	Expiration Date